Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Summary of work at Laredo and New Laredo.

LAREDO, TEX., *July 25, 1904.*

During the week ended July 23, fumigated, Laredo, 30 houses, containing 148 rooms; inspected 8,912 premises; 2,222 water containers oiled; maximum temperature, 101°; no rainfall. New Laredo reports from July 16 to 24, 4,325 domiciliary visits; 32 water containers with larvæ; 157 containers emptied; 92 oiled. Cock and force at Rio Grande City; MacGregor at San Diego.

RICHARDSON.

Statistical reports of States and cities of the United States—Yearly and monthly.

CALIFORNIA—*Los Angeles.*—Month of June, 1904. Estimated population, 160,000. Total number of deaths 219, including diphtheria 3, enteric fever 3, measles 1, scarlet fever 1, and 46 from tuberculosis.

Oakland.—Month of June, 1904. Estimated population, 83,000. Total number of deaths, 81, including diphtheria 2, enteric fever 4, scarlet fever 1, and 9 from tuberculosis.

Sacramento.—Month of June, 1904. Estimated population, 30,000. Total number of deaths 38, including 5 from phthisis pulmonalis.

CONNECTICUT.—Reports to the State board of health for the month of June, 1904, from 168 towns, having an aggregate estimated population of 956,748, show a total of 1,128 deaths, including diphtheria 8, enteric fever 5, measles 6, scarlet fever 9, whooping cough 3, and 118 from tuberculosis.

ILLINOIS—*Springfield.*—Month of June, 1904. Estimated population, 40,000. Total number of deaths, 47, including enteric fever 1, and 5 from tuberculosis.

INDIANA—*Evansville.*—Month of June, 1904. Estimated population, 70,000. Total number of deaths, 70, including diphtheria 1, whooping cough 1, and 14 from tuberculosis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended July 16, 1904, from 76 observers, indicate that bronchitis, cholera morbus, diphtheria, enteric fever, pneumonia, whooping cough, erysipelas, and meningitis were more prevalent, and influenza, cancer, and measles were less prevalent than in the preceding week.

Meningitis was reported present at 2, pneumonia at 9, whooping cough at 11, diphtheria at 26, enteric fever at 34, scarlet fever at 39, measles at 40, smallpox at 78, and phthisis pulmonalis at 277 places.

MINNESOTA—*Minneapolis.*—Month of June, 1904. Estimated population, 235,000. Total number of deaths, 163, including diphtheria 5, enteric fever 4, scarlet fever 4, whooping cough 1, and 21 from tuberculosis.

NEW HAMPSHIRE—*Concord.*—Month of May, 1904. Estimated population, 20,000. Total number of deaths, 36, including 3 from tuberculosis.

Month of June, 1904. Total number of deaths, 39, including 2 from phthisis pulmonalis.

Manchester.—Month of June, 1904. Estimated population, 62,000. Total number of deaths, 70, including 5 from phthisis pulmonalis.

NORTH CAROLINA.—Reports to the State board of health for the month of May, 1904, from 26 towns having an aggregate population of 154,400—white, 91,350; colored, 63,050—show a total of 270 deaths; white, 112; colored, 158, including diphtheria 2, enteric fever 2, measles 1, scarlet fever 1, whooping cough 3, and 48 from tuberculosis.

OHIO—*Cleveland.*—Month of June, 1904. Estimated population, 430,000. Total number of deaths, 2,106, including diphtheria 5, enteric fever 10, measles 5, and 47 from tuberculosis.

WASHINGTON—*Tacoma.*—Month of June, 1904. Estimated population, 65,000. Total number of deaths, 43, including diphtheria 2, enteric fever 2, smallpox 1, and 7 from tuberculosis.

Report of immigration at Baltimore.

Number of alien immigrants who arrived at this port during the week ended July 23, 1904; also names of vessels and ports from which they came.

Date.	Vessel.	Where from.	Number of aliens.
July 18	Brookline	Port Antonio	1
18	Tobasco	Rotterdam	1
18	Caprera	St. Lucia	1
21	Cassel	Bremen	846
23	Ulstermore	Liverpool	2
	Total		851

LOUIS T. WEIS, *Commissioner.*